




University of  
**Southampton**

# DBMS Architecture

COMP3211 Advanced Databases

Dr Nicholas Gibbins – [nmg@ecs.soton.ac.uk](mailto:nmg@ecs.soton.ac.uk)

# Two Questions:



# Interfaces: DDL vs DML


## DDL – Data Definition Language

- Creating tables, indices
- Manipulating database schema


## DML – Data Manipulation Language

- Queries
- Updating table contents

# DBMS Interfaces




# DBMS Components



# System Catalogue


Contains metadata about stored data and schemas:

- names and sizes of files
- storage details of files
- names and data types of data items
- mappings between schemas
- constraints
- statistical information



# DDL Compiler


- Processes schema definitions
- Stores schema descriptions in the *system catalogue*






# Query Compiler

- Parses and validates queries
- Compiles queries to internal form (query plan)
- Passes compiled queries to *query optimiser*




# Query Optimiser

- Rearranges and reorders operations within query plan
- Eliminates redundancies
- Identifies appropriate algorithms and indexes used to implement operations
- Consults *system catalogue* for statistical and other information
- Generates executable code




# Precompiler

- Extracts DML commands from application programs and sends them to the *DML compiler*




# DML Compiler

- Compiles DML into executable code that can be sent to the *runtime processor*




# Runtime Database Processor

- Executes privileged commands
- Executes query plans from the *query optimiser*
- Accesses database through *stored data manager*



# Stored Data Manager

- Controls access to information on disc, using basic operating system services
- Manages shared buffer pool (available main memory used for transferring data to and from disc)



# Other Component Modules

- *Loading utility* loads files into DB
- *Backup utility* dumps DB to secondary storage (tape, typically)
- *Recovery utility* deals with failure using backup information
- *File reorganisation utility* improves performance
- *Performance monitoring* provides statistics for DBA to decide whether to reorganise

# Next Lecture: Data Storage